Author index

Adam, E., Szell, M., Szekeres, M., Schaefer, E. and Nagy, F. *The developmental and tissue-specific expression of tobacco phytochrome-A genes* 283
Albà, M.M., Culiáñez-Macià, F.A., Goday, A., Freire, M.A., Nadal, B. and Pagès, M. *The maize RNA-binding protein, MA16, is a nucleolar protein located in the dense fibrillar component* 825
Allard, S. *see* Robert, L.S.
Allen, G.J. and Sanders, D. *Osmotic stress enhances the competence of* Beta vulgaris *vacuoles to respond to inositol 1,4,5-triphosphate* 687
Amasino, R.M. *see* Lee, I.
Anderson, M.A. *see* Lind, J.L.
Anderson, S.L., Teakle, G.R., Martino-Catt, S.J. and Kay, S.A. *Circadian clock- and phytochrome-regulated transcription is conferred by a 78 bp* cis*-acting domain of the* Arabidopsis CAB2 *promoter* 457
Angenent, G.C. *see* Cañas, L.A.
Assad, N. *see* Zabaleta, E.

Bacic, A. *see* Lind, J.L.
Bagnall, S.V. *see* Frame, B.R.
Baker, C. *see* Graham, I.A.
Barbier-Brygoo, H. *see* Zimmermann, S.
Bariola, P.A., Howard, C.J., Taylor, C.B., Verburg, M.T., Jaglan, V.D. and Green, P.J. *The* Arabidopsis *ribonuclease gene* RNS1 *is tightly controlled in response to phosphate limitation* 673
Barker, D.G. *see* Journet, E.P.
Bäumlein, H., Misera, S., Luerßen, H., Kölle, K., Horstmann, C., Wobus, U. and Müller, A.J. *The* FUS3 *gene of* Arabidopsis thaliana *is a regulator of gene expression during late embryogenesis* 379
Bauwens, S., Katsanis, K., Van Montagu, M., Van Oostveldt, P. and Engler, G. *Procedure for whole mount fluorescence* in situ *hybridization of interphase nuclei of* Arabidopsis thaliana 123
Beetham, J.K. *see* Kiyosue, T.
Beetham, J.K. *see* Stapleton, A.
Behringer, F.J. *see* Callos, J.D.
Belknap, W.R. *see* Stapleton, A.
Beltrán, J.-P. *see* Cañas, L.A.
Bhattacharyya, M.K., Stermer, B.A. and Dixon, R.A. *Reduced variation in transgene expression from a binary vector with selectable markers at the right and left T-DNA borders* 957
Bisaro, D.M. *see* Lee, S.
Blankestijn-de Vries, H. *see* Koornneef, M.
Böger, P. *see* Misawa, N.
Bolle, C., Sopory, S., Lübberstedt, Th., Herrmann, R.G. and Oelmüller, R. *Segments encoding 5′-untranslated leaders of genes for thylakoid proteins contain* cis*-elements essential for transcription* 513
Bonfiglioli, R.G., McFadden, G.I. and Symons, R.H. In situ *hybridization localizes avocado sunblotch viroid on chloroplast thylakoid membranes and coconut cadang cadang viroid in the nucleus* 99
Boon, J.J. *see* Halpin, C.
Boudet, A.M. *see* Halpin, C.
Bouvier, F., Hugueney, P., d'Harlingue, A., Kuntz, M. and Camara, B. *Xanthophyll biosynthesis in chromoplasts: isolation and molecular cloning of an enzyme catalyzing the conversion of 5,6-epoxycarotenoid into ketocarotenoid* 45
Brandt, P. *see* Klein, M.
Brennicke, A. *see* Klein, M.
Bressan, R.A. *see* Chen, Z.
Brown, J.W.S., Simpson, C.G., Clark, G.P. and Waugh, R. *Complementary deletions in expressed potato U2snRNA gene variants support the hypothesis that stem–loop IIb is dispensable for splicing* 921
Browse, J. *see* Lightner, J.
Bruce, B.D. *see* Kausch, A.P.
Bullock, W.P. *see* Frame, B.R.
Busscher, J. *see* Ylstra, B.
Busscher, M. *see* Cañas, L.A.

Caboche, M. *see* Kraepiel, Y.
Callos, J.D. and Medford, J.I. *Organ positions and pattern formation in the shoot apex* 1
Callos, J.D., DiRado, M., Xu, B., Behringer, F.J., Link, B.M. and Medford, J.I. *The* forever young *gene encodes an oxidoreductase required for proper development of the* Arabidopsis *vegetative shoot apex* 835
Camara, B. *see* Bouvier, F.
Cameron-Mills, V *see* Chaudhry, B.
Campbell, M.M. *see* Halpin, C.
Cañas, L.A., Busscher, M., Angenent, G.C., Beltrán, J.-P. and van Tunen, A.J. *Nuclear localization of the petunia MADS box protein FBP1* 597
Cass, L. *see* Robert, L.S.
Chabbert, B. *see* Halpin, C.
Chan, Y.-S. *see* Chia, T.-F.
Chang, P.-F.L. *see* Chen, Z.
Chaudhry, B., Müller-Uri, F., Cameron-Mills, V., Gough, S., Simpson, D., Skriver, K. and Mundy, J. *The barley 60 kDa jasmonate-induced protein (JIP60) a novel ribosome-inactivating protein* 815
Chen, M.-H., Liu, L.-F., Chen, Y.-R., Wu, H.-K. and Yu, S.-M. *Expression of α-amylases, carbohydrate metabolism and autophagy in cultured rice cells are coordinately regulated by sugar nutrient* 625
Chen, X. *see* Sakamoto, W.
Chen, Y.-R. *see* Chen, M.-H.
Chen, Z. *see* Chitty, J.A.
Chen, Z., Fu, H., Liu, D., Chang, P.-F.L., Narasimhan, M., Ferl, R., Hasegawa, P.M. and Bressan, R.A. *A NaCl-regulated plant gene encoding a brain protein homolog that activates ADP ribosyltransferase and inhibits protein kinase C* 729
Chia, T.-F., Chan, Y.-S. and Chua, N.-H. *The firefly luciferase gene as a non-invasive reporter for* Dendrobium *transformation* 441
Chitty, J.A., Furbank, R.T., Marshall, J.S., Chen, Z. and Taylor, W.C. *Genetic transformation of the C_4 plant,* Flaveria bidentis 949
Chua, N.-H. *see* Chia, T.-F.
Chua, N.-H. *see* de Pater, S.
Chua, N.-H. *see* Schafer, E.
Clark, G.P. *see* Brown, J.W.S.
Clarke, A.E. *see* Lind, J.L.
Cordero, M.J., Raventós, D. and San Segundo, B. *Expression of a maize proteinase inhibitor gene is induced in response to wounding and fungal infection: systemic wound-response of a monocot gene* 141
Cosmopoulos, J. *see* Fobert, P.R.
Culiáñez-Macià, F.A. *see* Albà, M.M.

Dallmann, G. *see* Merkle, T.
Davis, K.R. *see* Lee, S.

Dean, J.F.D. *see* Liu, L.
Debel, K., Knack, G. and Kloppstech, K. *Accumulation of plastid HSP 23 of* Chenopodium rubrum *is controlled post-translationally by light* 79
de Billy, F. *see* Journet, E.P.
Dedieu, A. *see* Journet, E.P.
Dempsey, S. *see* Gu, J.
de Pater, S., Katagiri, F., Kijne, J. and Chua, N.-H. *bZIP proteins bind to a palindromic sequence without an ACGT core located in a seed-specific element of the pea lectin promoter* 133
d'Harlingue, A. *see* Bouvier, F.
Dietrich, P. *see* Hedrich, R.
DiRado, M. *see* Callos, J.D.
Dircks, L. *see* Muschietti, J.
Dixon, R.A. *see* Bhattacharyya, M.K.
Dixon, R.A. *see* Harrison, M.J.
Doerner, P.W. *see* Vera, P.
Domin, M. *see* Houba-Hérin, N.
Dooner, H.K. *see* Lightner, J.
Dove, S.K. *see* Drøbak, B.K.
Draper, J. *see* Warner, S.A.J.
Drayton, P.R. *see* Frame, B.R.
Drøbak, B.K., Watkins, P.A.C., Valenta, R., Dove, S.K., Lloyd, C.W. and Staiger, C.J. *Inhibition of plant plasma membrane phosphoinositide phospholipase C by the actin-binding protein, profilin* 389
Duckett, C.M. *see* Oparka, K.J.
Dunwell, J.M. *see* Frame, B.R.

Eckert-Ossenkopp, U. *see* Klein, M.
Ehara, Y. *see* Takahashi, H.
Einhorn, J. *see* Kraepiel, Y.
Elmayan, T. and Tepfer, M. *Synthesis of a bifunctional metallothionein/β-glucuronidase fusion protein in transgenic tobacco plants as a means of reducing cadmium levels* 433
Emmler, K. *see* Schäfer, E.
Engler, G. *see* Bauwens, S.
Eriksson, K.-E.L. *see* Liu, L.

Fang, F. *see* Sasaki, T.
Feix, G. *see* Grasser, K.D.
Ferl, R. *see* Chen, Z.
Fischer, U. *see* Kammerloher, W.
Fisher, D.B. *see* Oparka, K.J.
Fleck, J. *see* Genschik, P.
Flieger, K., Wicke, A., Herrmann, R.G. and Oelmüller, R. *Promoter and leader sequences of the spinach* PsaD *and* PsaF *genes direct an opposite light response in tobacco cotyledons:* PsaD *sequences downstream of the ATG codon are required for a positive light response* 359
Fobert, P.R., Labbé, H., Cosmopoulos, J., Gottlob-McHugh, S., Ouellet, T., Hattori, J., Sunohara, G., Iyer, V.N. and Miki, B.L. *T-DNA tagging of a seed coat-specific cryptic promoter in tobacco* 567
Foxon, G.A. *see* Halpin, C.
Frame, B.R., Drayton, P.R., Bagnall, S.V., Lawnau, C.J., Bullock, W.P., Wilson, H.M., Dunwell, J.M., Thompson, J.A. and Wang, K. *Production of fertile transgenic maize plants by silicon carbide whisker-mediated transformation* 941
Franken, J. *see* Ylstra, B.
Franken, P., Schrell, S., Peterson, P.A., Saedler, H. and Wienand, U. *Molecular analysis of protein domain function encoded by the* myb*-homologous maize genes* C1, Zm 1 *and* Zm 38 21
Freire, M.A. *see* Albà, M.M.
Friedman, M. *see* Stapleton, A.
Friedman, W.E. *see* Liu, L.
Fu, H. *see* Chen, Z.
Furbank, R.T. *see* Chitty, J.A.
Furuya, M. *see* Nick, P.

Gahrtz, M., Stolz, J. and Sauer, N. *A phloem-specific sucrose-H^+ symporter from* Plantago major *L. supports the model of an apoplastic phloem loading* 697
Gal, S. and Raikhel, N.V. *A carboxy-terminal plant vacuolar targeting signal is not recognized by yeast* 235
Garbino, J.E. *see* Stapleton, A.
Genschik, P., Jamet, E., Philipps, G., Parmentier, Y., Gigot, C. and Fleck, J. *Molecular characterization of a β-type proteasome subunit from* Arabidopsis thaliana *co-expressed at a high level with an α-type proteasome subunit early in the cell cycle* 537
Gerats, A.G.M. *see* Huits, H.S.M.
Gerster, J. *see* Robert, L.S.
Gigot, C. *see* Genschik, P.
Gill, A. *see* Warner, S.A.J.
Goday, A. s*ee* Albà, M.M.
Goto, N. *see* Takahashi, H.
Gottlob-McHugh, S. *see* Fobert, P.R.
Gough, S. *see* Chaudhry, B.
Graham, I.A., Baker, C. and Leaver, C.J. *Analysis of the cucumber malate synthase gene promoter by transient expression and gel retardation assays* 893
Grant, S., Hunkirchen, B. and Saedler, H. *Developmental differences between male and female flowers in the dioecious plant* Silene latifolia 471
Grasser, K.D., Krech, A.B. and Feix, G. *The maize chromosomal HMGa protein recognizes structural features of DNA and increases DNA flexibility* 351
Green, P.J. *see* Bariola, P.A.
Gu, J., Dempsey, S. and Newton, K.J. *Rescue of a maize mitochondrial cytochrome oxidase mutant by tissue culture* 787
Guern, J. *see* Zimmermann, S.

Haizel, T. *see* Merkle, T.
Hall, G.E. Jr *see* van der Geest, A.H.M.
Hall, T.C. *see* van der Geest, A.H.M.
Halpin, C., Knight, M.E., Foxon, G.A., Campbell, M.M., Boudet, A.M., Boon, J.J., Chabbert, B., Tollier, M.-T. and Schuch, W. *Manipulation of lignin quality by downregulation of cinnamyl alcohol dehydrogenase* 339
Hammock, B.D. *see* Kiyosue, T.
Hammock, B.D. *see* Stapleton, A.
Hanhart, C. *see* Koornneef, M.
Harn, C. *see* Mu, C.
Harrison, M.J. and Dixon, R.A. *Spatial patterns of expression of flavonoid/isoflavonoid pathway genes during interactions between roots of* Medicago truncatula *and the mycorrhizal fungus* Glomus versiforme 9
Harter, K. *see* Merkle, T.
Hasegawa, P.M. *see* Chen, Z.
Hattori, J. *see* Fobert, P.R.
Havukkala, I. *see* Sasaki, T.
Hedrich, R., Marten, I., Lohse, G., Dietrich, P., Winter, H., Lohaus, G. and Heldt, H.-W. *Malate-sensitive anion channels enable guard cells to sense changes in the ambient CO_2 concentration* 741
Heldt, H.-W. see Hedrich, R.
Herrera-Estrella, L. *see* Zabaleta, E.
Herrmann, R.G. *see* Bolle, C.
Herrmann, R.G. *see* Flieger, K.

Hewelt, A., Prinsen, E., Schell, J., Van Onckelen, H. and Schmülling, T. *Promoter tagging with a promoterless* ipt *gene leads to cytokinin-induced phenotypic variability in transgenic tobacco plants: implications of gene dosage effects* 879
Hiei, Y., Ohta, S., Komari, T. and Kumashiro, T. *Efficient transformation of rice (*Oryza sativa *L.) mediated by* Agrobacterium *and sequence analysis of the boundaries of T-DNA* 271
Higo, H. *see* Sasaki, T.
Höfgen, R. *see* Klonus, D.
Hollman, P.C.H. *see* Ylstra, B.
Holmström, K.O., Welin, B., Mandal, A., Kristiansdottir, I., Teeri, T.H., Lamark, T., Strøm, A.R. and Tapio Palva, E. *Production of the* Escherichia coli *betaine-aldehyde dehydrogenase, an enzyme required for the synthesis of the osmoprotectant glycine betaine, in transgenic plants* 749
Hori, M. *see* Sasaki, T.
Hori, T. *see* Misawa, N.
Horstmann, C. *see* Bäumlein, H.
Houba-Hérin, N., Domin, M. and Pédron, J. *Transposition of a* Ds *element from a plasmid into the plant genome in* Nicotiana plumbagnifolia *protoplast-derived cells* 55
Howard, C.J. *see* Bariola, P.A.
Hugueney, P. *see* Bouvier, F.
Huits, H.S.M., Gerats, A.G.M., Kreike, M.M., Mol, J.N.M. and Koes, R.E. *Genetic control of dihydroflavonol 4-reductase gene expression in* Petunia hybrida 295
Hunkirchen, B. *see* Grant, S.

Ikeda, H. *see* Sasaki, T.
Ishimaru, K. *see* Sasaki, T.
Iyer, V.N. *see* Fobert, P.R.

Jaglan, V.D. *see* Bariola, P.A.
James, D.W. Jr *see* Lightner, J.
Jamet, E. see Genschik, P.
Jiang, C.-Z. *see* Wetzel, C.M.
Journet, E.P., Pichon, M., Dedieu, A., de Billy, F., Truchet, G. and Barker, D.G. Rhizobium meliloti *Nod factors elicit cell-specific transcription of the* ENOD12 *gene in transgenic alfalfa* 241

Kalla, R., Shimamoto, K., Potter, R., Stein Nielsen, P., Linnestad, C. and Olsen, O.-A. *The promoter of the barley aleurone-specific gene encoding a putative 7 kDa lipid transfer protein confers aleurone cell-specific expression in transgenic rice* 849
Kammerloher, W., Fischer, U., Piechottka, G.P. and Schäffner, A.R. *Water channels in the plant plasma membrane cloned by immunoselection from a mammalian expression system* 187
Kang, F. and Rawsthorne, S. *Starch and fatty acid synthesis in plastids from developing embryos of oilseed rape (*Brassica napus *L.)* 795
Kano-Murakami, Y. *see* Matsuoka, M.
Katagiri, F. *see* de Pater, S.
Katsanis, K. *see* Bauwens, S.
Kausch, A.P. and Bruce, B.D. *Isolation and immobilization of various plastid subtypes by magnetic immunoabsorption* 767
Kawamoto, T. *see* Kawaoka, A.
Kawaoka, A., Kawamoto, T., Sekine, M., Yoshida, K., Takano, M. and Shinmyo, A. *A* cis*-acting element and a* trans*-acting factor involved in the wound-induced expression of a horseradish peroxidase gene* 87
Kay, S.A. *see* Anderson, S.L.
Keeling, P.L. *see* Mu, C.
Kerhoas, L. *see* Kraepiel, Y.
Kijne, J. *see* de Pater, S.
Kindle, K.L. *see* Sakamoto, W.
Kiyosue, T., Beetham, J.K., Pinot, F., Hammock, B.D., Yamaguchi-Shinozaki, K. and Shinozaki, K. *Characterization of an* Arabidopsis *cDNA for a soluble epoxide hydrolase gene that is inducible by auxin and water stress* 259
Klein, M., Eckert-Ossenkopp, U., Schmiedeberg, I., Brandt, P., Unseld, M., Brennicke, A. and Schuster, W. *Physical mapping of the mitochondrial genome of* Arabidopsis thaliana *by cosmid and YAC clones* 447
Klonus, D., Höfgen, R., Willmitzer, L. and Riesmeier, J.W. *Isolation and characterization of two cDNA clones encoding ATP-sulfurylases from potato by complementation of a yeast mutant* 105
Kloppstech, K. *see* Debel, K.
Knack, G. *see* Debel, K.
Knight, M.E. *see* Halpin, C.
Knudsen, S. *see* Leah, R.
Ko, Y.-T. *see* Mu, C.
Koes, R.E. *see* Huits, H.S.M.
Koga-Ban, Y. *see* Sasaki, T.
Kojima, K., Sasaki, S. and Yamamoto, N. *Light-independent and tissue-specific expression of a reporter gene mediated by the pine* cab*-6 promoter in transgenic tobacco* 591
Kölle, K. *see* Bäumlein, H.
Komari, T. *see* Hiei, Y.
Koornneef, M., Blankestijn-de Vries, H., Hanhart, C., Soppe, W. and Peeters, T. *The phenotype of some late-flowering mutants is enhanced by a locus on chromosome 5 that is not effective in the Landsberg* erecta *wild-type* 911
Kooter, J.M. *see* Van Blokland, R.
Koßmann, J., Sonnewald, U. and Willmitzer, L. *Reduction of the chloroplastic fructose-1,6-bisphosphatase in transgenic potato plants impairs photosynthesis and plant growth* 637
Kraepiel, Y., Rousselin, P., Sotta, B., Kerhoas, L., Einhorn, J., Caboche, M. and Miginiac, E. *Analysis of phytochrome- and ABA-deficient mutants suggests that ABA degradation is controlled by light in* Nicotiana plumbaginifolia 665
Krech, A.B. *see* Grasser, K.D.
Kreike, M.M. *see* Huits, H.S.M.
Kristiansdottir, I. *see* Holmström, K.O.
Kumar, V. and Trick, M. *Expression of the S-locus receptor kinase multigene family in* Brassica oleracea 807
Kumashiro, T. *see* Hiei, Y.
Kuntz, M. *see* Bouvier, F.
Kyozuka, J. *see* Matsuoka, M.

Labbé, H. *see* Fobert, P.R.
Laloue, M. *see* Schnorr, K.M.
Lamark, T. *see* Holmström, K.O.
Lamb, C.J. *see* Vera, P.
Lambert, A.-M. *see* Nick, P.
Lawnau, C.J. *see* Frame, B.R.
Leah, R., Skriver, K., Knudsen, S., Ruud-Hansen, J., Raikhel, N.V. and Mundy, J. *Identification of an enhancer/silencer sequence directing the aleurone-specific expression of a barley chitinase gene* 579
Leaver, C.J. *see* Graham, I.A.
Lee, I., Michaels, S.D., Masshardt, A.S. and Amasino, R.M. *The late-flowering phenotype of* FRIGIDA *and mutations in* LUMINIDEPENDENS *is suppressed in the Landsberg* erecta *strain of* Arabidopsis 903
Lee, S., Stenger, D.C., Bisaro, D.M. and Davis, K.R. *Identification of loci in* Arabidopsis *that confer resistance to geminivirus infection* 525
Leech, R.M. *see* Marrison, J.L.

Lightner, J., James, D.W. Jr, Dooner, H.K. and Browse, J. *Altered body morphology is caused by increased stearate levels in a mutant of* Arabidopsis 401
Lind, J.L., Bacic, A., Clarke, A.E. and Anderson, M.A. *A style-specific hydroxyproline-rich glycoprotein with properties of both extensins and arabinogalactan proteins* 491
Lindstrom, J.T. *see* Schmidt, J.S.
Link, B.M. *see* Callos, J.D.
Linnestad, C. *see* Kalla, R.
Liu, D. see Chen, Z.
Liu, L., Dean, J.F.D., Friedman, W.E. and Eriksson, K.-E.L. *A laccase-like phenoloxidase is correlated with lignin biosynthesis in* Zinnia elegans *stem tissues* 213
Liu, L.-F. *see* Chen, M.-H.
Lloyd, C.W. *see* Drøbak, B.K.
Lohaus, G. *see* Hedrich, R.
Lohse, G. *see* Hedrich, R.
Lübberstedt, Th. *see* Bolle, C.
Luerßen, H. *see* Bäumlein, H.

Maliga, P. *see* Staub, J.M.
Mandal, A. *see* Holmström, K.O.
Mandel, A. *see* Zabaleta, E.
Marrison, J.L. and Leech, R.M. *The subcellular and intra-organelle recognition of nuclear and chloroplast transcripts in developing leaf cells* 605
Marshall, J.S. *see* Chitty, J.A.
Marten, I. *see* Hedrich, R.
Martino-Catt, S.J. *see* Anderson, S.L.
Masamoto, K. *see* Misawa, N.
Masshardt, A.S. *see* Lee, I.
Matsui, E. *see* Sasaki, T.
Matsumoto, T. *see* Merkle, T.
Matsuoka, M., Kyozuka, J., Shimamoto, K. and Kano-Murakami, Y. *The promoters of two carboxylases in a C_4 plant (maize) direct cell-specific, light-regulated expression in a C_3 plant (rice)* 311
McCormick, S. *see* Muschietti, J.
McFadden, G.I. *see* Bonfiglioli, R.G.
Medford, J.I. *see* Callos, J.D.
Meehan, L.J. *see* Wetzel, C.M.
Merkle, T., Haizel, T., Matsumoto, T., Harter, K., Dallmann, G. and Nagy, F. *Phenotype of the fission yeast cell cycle regulatory mutant* pim1-46 *is suppressed by a tobacco cDNA encoding a small, Ran-like GTP-binding protein* 555
Michaels, S.D. *see* Lee, I.
Miginiac, E. *see* Kraepiel, Y.
Miki, B.L. *see* Fobert, P.R.
Minobe, Y. *see* Sasaki, T.
Misawa, N., Masamoto, K., Hori, T., Ohtani, T., Böger, P. and Sandmann, G. *Expression of an* Erwinia *phytoene desaturase gene not only confers multiple resistance to herbicides interfering with carotenoid biosynthesis but also alters xanthophyll metabolism in transgenic plants* 481
Misera, S. *see* Bäumlein, H.
Miya, M. *see* Sasaki, T.
Miyadera, N. *see* Sasaki, T.
Mol, J.N.M. *see* Huits, H.S.M.
Mol, J.N.M. *see* Van Blokland, R.
Mol, J.N.M. *see* Ylstra, B.
Mu, C., Ham, C., Ko, Y.-T., Singletary, G.W., Keeling, P.L. and Wasserman, B.P. *Association of a 76 kDa polypeptide with soluble starch synthase I activity in maize (cv B73) endosperm* 151
Mukai, Y. *see* Sasaki, T.
Müller, A.J. *see* Bäumlein, H.
Müller-Uri, F. see Chaudhry, B.

Mundy, J. *see* Chaudhry, B.
Mundy, J. *see* Leah, R.
Murayama-Kayano, E. *see* Sasaki, T.
Muschietti, J., Dircks, L., Vancanneyt, G. and McCormick, S. *LAT52 protein is essential for tomato pollen development: pollen expressing antisense* LAT52 *RNA hydrates and germinates abnormally and cannot achieve fertilization* 321

Nadal, B. *see* Albà, M.M.
Nagasaki, H. *see* Sasaki, T.
Nagy, F. *see* Adam, E.
Nagy, F. *see* Merkle, T.
Narasimhan, M. *see* Chen, Z.
Newton, K.J. *see* Gu, J.
Nick, P., Yatou, O., Furuya, M. and Lambert, A.-M. *Auxin-dependent microtubule responses and seedling development are affected in a rice mutant resistant to EPC* 651
Niki, T. *see* Sasaki, T.
Nygaard, P. *see* Schnorr, K.M.

Oelmüller, R. *see* Bolle, C.
Oelmüller, R. *see* Flieger, K.
Ohta, I. *see* Sasaki, T.
Ohta, S. *see* Hiei, Y.
Ohtani, T. *see* Misawa, N.
Olsen, O.-A. *see* Kalla, R.
Oparka, K.J., Duckett, C.M., Prior, D.A.M. and Fisher, D.B. *Real-time imaging of phloem unloading in the root tip of* Arabidopsis 759
Opekarová, M. *see* Stolz, J.
Oropeza, A. *see* Zabaleta, E.
Ouellet, T. *see* Fobert, P.R.

Pagès, M *see* Albà, M.M.
Parmentier, Y. *see* Genschik, P.
Pédron, J. *see* Houba-Hérin, N.
Peeters, T. *see* Koornneef, M.
Peterson, P.A. *see* Franken, P.
Philipps, G. *see* Genschik, P.
Pichon, M. *see* Journet, E.P.
Piechottka, G.P. *see* Kammerloher, W.
Pinot, F. *see* Kiyosue, T.
Pinot, F. *see* Stapleton, A.
Potter, R. *see* Kalla, R.
Prinsen, E. *see* Hewelt, A.
Prior, D.A.M. see Oparka, K.J.

Raikhel, N.V. *see* Gal, S.
Raikhel, N.V. *see* Leah, R.
Raventós, D. *see* Cordero, J.
Rawsthorne, S. *see* Kang, F.
Riesmeier, J.W. *see* Klonus, D.
Robert, L.S., Gerster, J., Allard, S., Cass, L. and Simmonds, J. *Molecular characterization of two* Brassica napus *genes related to oleosins which are highly expressed in the tapetum* 927
Rockhold, D.R. *see* Stapleton, A.
Rodermel, S.R. *see* Wetzel, C.M.
Rousselin, P. *see* Kraepiel, Y.
Ruud-Hansen, J. *see* Leah, R.

Saedler, H. *see* Franken, P.
Saedler, H. *see* Grant, S.
Sakamoto, W., Chen, X., Kindle, K.L. and Stern, D.B. *Function of the* Chlamydomonas reinhardtii petD *5′ untranslated region*

in regulating the accumulation of sub-unit IV of the cytochrome b_6/f complex 503
Salerno, G. *see* Zabaleta, E.
San Segundo, B. *see* Cordero, J.
Sanders, D. *see* Allen, G.J.
Sandmann, G. *see* Misawa, N.
Sasaki, S. *see* Kojima, K.
Sasaki, T., Song, J., Koga-Ban, Y., Matsui, E., Fang, F., Higo, H., Nagasaki, H., Hori, M., Miya, M., Murayama-Kayano, E., Takiguchi, T., Takasuga, A., Niki, T., Ishimaru, K., Ikeda, H., Yamamoto, Y., Mukai, Y., Ohta, I., Miyadera, N., Havukkala, I. and Minobe, Y. *Toward cataloguing all rice genes: large-scale sequencing of randomly chosen cDNAs from a callus cDNA library* 615
Sauer, N. and Stolz, J. *SUC1 and SUC2: two sucrose transporters from* Arabidopsis thaliana*: expression and characterization in baker's yeast and identification of the histidine-tagged protein* 67
Sauer, N. *see* Gahrtz, M.
Sauer, N. *see* Stolz, J.
Schaefer, E. *see* Adam, E.
Schäfer, E., Emmler, K. and Chua, N.-H. *Rice phytochrome A controls apical hook opening after a single light pulse in transgenic tobacco seedlings* 935
Schäffner, A.R. *see* Kammerloher, W.
Schell, J. *see* Hewelt, A.
Schmidt, J.S., Lindstrom, J.T. and Vodkin, L.O. *Genetic length polymorphisms create size variation in proline-rich proteins of the cell wall* 177
Schmiedeberg, I. *see* Klein, M.
Schmitz, G. and Theres, K. *A self-stabilizing* Ac *derivative and its potential for transposon tagging* 781
Schmülling, T. *see* Hewelt, A.
Schnorr, K.M., Nygaard, P. and Laloue, M. *Molecular characterization of* Arabidopsis thaliana *cDNAs encoding three purine biosynthetic enzymes* 113
Schrell, S. *see* Franken, P.
Schuch, W. *see* Halpin, C.
Schuster, W. *see* Klein, M.
Sekine, M. *see* Kawaoka, A.
Shimamoto, K. *see* Kalla, R.
Shimamoto, K. see Matsuoka, M.
Shinmyo, A. *see* Kawaoka, A.
Shinozaki, K. *see* Kiyosue, T.
Simmonds, J. *see* Robert, L.S.
Simpson, C.G. *see* Brown, J.W.S.
Simpson, D. *see* Chaudhry, B.
Singletary, G.W. *see* Mu, C.
Skriver, K. *see* Chaudhry, B.
Skriver, K. *see* Leah, R.
Song, J. *see* Sasaki, T.
Sonnewald, U. *see* Koßmann, J.
Sopory, S. *see* Bolle, C.
Soppe, W. *see* Koornneef, M.
Sotta, B. *see* Kraepiel, Y.
Spiker, S. *see* van der Geest, A.H.M.
Stadler, R. *see* Stolz, J.
Staiger, C.J. *see* Drøbak, B.K.
Stapleton, A., Beetham, J.K., Pinot, F., Garbino, J.E., Rockhold, D.R., Friedman, M., Hammock, B.D. and Belknap, W.R. *Cloning and expression of soluble epoxide hydrolase from potato* 251
Staub, J.M. and Maliga, P. *Translation of* psbA *mRNA is regulated by light via the 5′-untranslated region in tobacco plastids* 547
Stein Nielsen, P. *see* Kalla, R.
Stenger, D.C. *see* Lee, S.
Stermer, B.A. *see* Bhattacharyya, M.K.
Stern, D.B. *see* Sakamoto, W.
Stolz, J. *see* Gahrtz, M.
Stolz, J. *see* Sauer, N.
Stolz, J., Stadler, R., Opekarová, M. and Sauer, N. *Functional reconstitution of the solubilized* Arabidopsis thaliana *STP1 monosaccharide-H⁺ symporter in lipid vesicles and purification of the histidine tagged protein from transgenic* Saccharomyces cerevisi 225
Strøm, A.R. *see* Holmström, K.O.
Sunohara, G. *see* Fobert, P.R.
Symons, R.H. *see* Bonfiglioli, R.G.
Szekeres, M. *see* Adam, E.
Szell, M. *see* Adam, E.

Takahashi, H., Goto, N. and Ehara, Y. *Hypersensitive response in cucumber mosaic virus-inoculated* Arabidopsis thaliana 369
Takano, M. *see* Kawaoka, A.
Takasuga, A. *see* Sasaki, T.
Takiguchi, T. *see* Sasaki, T.
Tapio Palva, E. *see* Holmström, K.O.
Taylor, C.B. *see* Bariola, P.A.
Taylor, W.C. *see* Chitty, J.A.
Teakle, G.R. *see* Anderson, S.L.
Teeri, T.H. see Holmström, K.O.
Tepfer, M. *see* Elmayan, T.
Theres, K. *see* Schmitz, G.
Thomine, S. *see* Zimmermann, S.
Thompson, J.A. *see* Frame, B.R.
Tollier, M.-T. *see* Halpin, C.
Trick, M. *see* Kumar, V.
Truchet, G. *see* Journet, E.P.

Unseld, M. *see* Klein, M.

Valenta, R. *see* Drøbak, B.K.
Van Blokland, R., Van der Geest, N., Mol, J.N.M. and Kooter, J.M. *Transgene-mediated suppression of chalcone synthase expression in* Petunia hybrida *results from an increase in RNA turnover* 861
van der Geest, A.H.M., Hall, G.E. Jr, Spiker, S. and Hall, T.C. *The β-phaseolin gene is flanked by matrix attachment regions* 413
Van der Geest, N. *see* Van Blokland, R.
Van Montagu, M. *see* Bauwens, S.
Van Onckelen, H. *see* Hewelt, A.
Van Oostveldt, P. *see* Bauwens, S.
van Tunen, A.J. *see* Cañas, L.A.
van Tunen, A.J. *see* Ylstra, B.
Vancanneyt, G. *see* Muschietti, J.
Vera, P., Lamb, C.J. and Doerner, P.W. *Cell-cycle regulation of hydroxyproline-rich glycoprotein* HRGPnt3 *gene expression during the initiation of lateral root meristems* 717
Verburg, M.T. *see* Bariola, P.A.
Vodkin, L.O. *see* Schmidt, J.S.
Voytas, D.F. *see* Wetzel, C.M.

Wang, K. *see* Frame, B.R.
Warner, S.A.J., Gill, A. and Draper, J. *The developmental expression of the asparagus intracellular PR protein (AoPR1) gene correlates with sites of phenylpropanoid biosynthesis* 31
Wasserman, B.P. *see* Mu, C.
Watkins, P.A.C. *see* Drøbak, B.K.
Waugh, R. *see* Brown, J.W.S.
Welin, B. *see* Holmström, K.O.

Wetzel, C.M., Jiang, C.-Z., Meehan, L.J., Voytas, D.F. and Rodermel, S.R. *Nuclear-organelle interactions: the* immutans *variegation mutant of* Arabidopsis *is plastid autonomous and impaired in carotenoid biosynthesis* 161
Wicke, A. *see* Flieger, K.
Wienand, U. *see* Franken, P.
Willmitzer, L. *see* Klonus, D.
Willmitzer, L. *see* Koßmann, J.
Wilson, H.M. see Frame, B.R.
Winter, H. *see* Hedrich, R.
Wobus, U. *see* Bäumlein, H.
Wu, H.-K. *see* Chen, M.-H.

Xu, B. *see* Callos, J.D.

Yamaguchi-Shinozaki, K. *see* Kiyosue, T.
Yamamoto, N. *see* Kojima, K.
Yamamoto, Y. *see* Sasaki, T.
Yatou, O. *see* Nick, P.
Ylstra, B., Busscher, J., Franken, J., Hollman, P.C.H., Mol, J.N.M. and van Tunen, A.J. *Flavonols and fertilization in* Petunia hybrida*: localization and mode of action during pollen tube growth* 201
Yoshida, K. *see* Kawaoka, A.
Yu, S.-M. *see* Chen, M.-H.

Zabaleta, E., Oropeza, A., Assad, N., Mandel, A., Salerno, G. and Herrera-Estrella, L. *Antisense expression of chaperonin 60β in transgenic tobacco plants leads to abnormal phenotypes and altered distribution of photoassimilates* 425
Zimmermann, S., Thomine, S., Guern, J. and Barbier-Brygoo, H. *An anion current at the plasma membrane of tobacco protoplasts shows ATP-dependent voltage regulation and is modulated by auxin* 707

Subject index

α-amylase 625
ABA-alcohol-glucoside 665
abscisic acid 665
Ac/Ds 55, 781
actin 389
active transport 697
ADP-glucose 151
Agrobacterium 879, 949
  tumefaciens 271
  -mediated transformation 957
agroinoculation 525
aleurone 579
aleurone-specific promoter 849
allergen 321
aminoimidizole ribonucleotide synthetase 113
amyloplast 625, 767
amylose 1551
anion channel 707
anthocyanin 295
antibiotic selection 957
antisense 637
  RNA 339, 861
apical hook opening 935
apoplastic loading 697
Arabidopsis 1, 673, 759, 835
  thaliana 67, 113, 123, 187, 225, 259, 369, 379, 401, 447, 525, 903, 911
arabinogalactan protein (AGP) 491
ATP regulation 707
ATP-sulfurylase 105
autophagy 625
auxin 259, 651, 707, 717
avirulence gene 369
avocado sunblotch viroid 99

baculovirus 251
  expression 321
barley 579, 815
  lectin 235
  non-specific lipid transfer protein 849
beet curly top virus 525
betaine-aldehyde dehydrogenase 749
binary vector 957
binding affinity 133
biolistic bombardment 441
bleaching herbicide 481
Brassica napus L. 795, 927
Brassica oleracea 807
brown midrib mutants 339
bZIP protein 133

C_3 plant 311
C_4 plant 311, 949
cab (gene for chlorophyll *a/b*-binding protein) 591
CAB2 expression 457
cadmium sequestration 433
calcium channel 687
Calvin cycle 637
Capsicum annuum 45
carbohydrate metabolism 425
carbon partitioning 637
carboxyfluorescein (CF) 759
ζ-carotene desaturase 481
carotenoid 45, 481
carotenoid biosynthesis 161
cDNA 251, 615
  expression library 87
cell
  cycle 537
  division 717
  elongation 651
  wall 177
chalcone synthase 201, 861
chaperonins 425
chitinase 579
chloroplast 425, 503, 605, 767
  targeting 749
chromatin loop 413
chromoplast 45, 767
chromosomal protein 351
cinnamyl alcohol dehydrogenase 339
circadian clock 457
cis-acting element 87
cis-elements 513
co-suppression 861
CO_2 concentration 741
coconut cadang cadang viroid 99
complementation 105
confocal laser scanning microscopy (CLSM) 123, 759
COS cells 187
cox2 787
crtI 481
cryptic promoter 567
cucumber mosaic virus 369
cytochrome *c*-oxidase 225, 697
cytokinin 879
cytosolic calcium 687

defense mechanism 815
dehydration tolerance 749
dense fibrillar component 825
desiccation 379
development 283
developmental expression 31
dihydroflavonol 4-reductase 295
dioecious plants 471
DNA-binding 351
DNA–protein interaction 87

early nodulin 241
electron microscopy 99
embryo 795
embryogenesis 379
enhancer/silencer 579
enzyme capacity 795
epoxide hydrolase 251
epoxide hydrolase gene 259
Erwinia uredovora 481
ethyl-*N*-phenylcarbamate (EPC) 651
expressed sequence tag (EST) 615
extensin 491

fab2 401
fatty acid synthesis 795
FBP1 (floral binding protein) 597
fertilization 201
FISH 123
Flaveria 949

flavonoids 9, 295
flavonols 201
flower
  development 471
  pigmentation 295
flowering 903, 911
fluorescence recovery after photobleaching (FRAP) 759
fungi 141
fus3 mutant 379
fusion protein 235, 433

gene 579
  expression 359, 537, 893
  regulation 379
  silencing 861
  variant 921
germination 141
Glomus versiforme 9
glycinamide ribonucleotide synthetase 113
glycinamide transformylase 113
glycine betaine 749
Glycine max 177
glyoxylate cycle 893
guard cells 741
GUS fusion 241, 567
gymnosperm 591

heat shock 79
heat stability 321
heterologous expression 67, 225, 697
high mobility group (HMG) protein 351
histidine tagging 67, 225
honoplasmy 787
host specificity 241
hydroxyproline-rich glycoprotein 491, 717
hypersensitive response 369

immunoelectron microscopy 825
immunolocalization 605
in situ hybridization 99, 605, 849
in vitro DNA–protein interactions 133
initiation factor 815
inositol 1,4,5-trisphosphate 687
invertase 235
ipt gene 879

kanamycin resistance 949
kinase 807

laccase 213
large-scale DNA sequencing 615
late-flowering mutants 911
lateral roots 717
light
  pulse 935
  regulation 79
  stress 79
  -independent gene expression 591
  -responsive elements 359
lignification 213
lignin 339
lipo-oligosaccharide signal 241
localization 213
luciferase 457

MADS box 597
magnetic immunoabsorption 767
maize 141, 825, 941
  anthocyanin pathway 21
  endosperm 151
malate synthase 893
malate-sensitive anion channels 741
MAR 413
Medicago truncatula 9
meristem 1, 835
metabolic control 893
metallothionein 433
methyl jasmonate 251
microprojectile 441
microtubule reorientation 651
mineral nutrition 673
miniature phenotype 401
MIP gene family 187
mitochondrial genome 447
molecular enzymology 45
monosaccharide/H^+ 225
  symport 225
morphology 401
mRNA leader 547
mutant 665
mycorrhizae 9

NaCl 729
Nicotiana alata 491
Nicotiana plumbaginifolia 55, 665
nuclear matrix 413
nuclear–organelle interactions 161
nucleolus 825
nucleus 597

oilseed rape 795
oleosins 927
Opaque-2 133
orchid 441
organelle isolation 767
organogenesis 1, 835
Oryza sativa L. 271
osmotic adaptation 749

patch-clamp 707
pattern formation 1, 835
PCR 787
peroxidase 87, 213
petunia 201, 295, 597
Petunia hybrida 861
phaseolin 413
phloem (unloading) 759
phloem loading 67
phosphate starvation 673
phosphoenolpyruvate 311
phosphoenolpyruvate carboxylase 311
phosphoinositides 389
phospholipase C 389
photocontrol 665
photoinhibition 79
photomorphogenesis 935
photoregulation 359
photosynthesis 359
  genes 513
photosystem I 359
phyllotaxy 1, 835
phytochrome 283, 457, 665
phytochrome A overexpression 935

phytoene desaturase 161, 481
pim1-46 555
pine (*Pinus thunbergii*) 591
Pisum sativum 133
  lectin gene 133
plant 413, 537
  defense 141
  development 879
  hormones 879
  transformation 425
Plantago major 697
plasma membrane 389
  H_2O conductance 187
plastid 547, 767
  development 161
  HSP 79
  isolated 795
pollen 201
  tube growth 321
position effect 413, 957
post-translational control 79
potato 251, 921
PR gene 31
precusor processing 815
profilin 389
programmed cell death 815
proline-rich proteins 177
promoter 87, 283, 579, 591
  analysis 359, 893
  trap 567
proteasome 537
14-3-3 protein 729
protein kinase C 729
proteinase inhibitor 141, 321
proton cotransport 67
protoplasts 55
psbA gene 547
purine biosynthesis 113

Ran-like proteins 555
receptor 807
reconstitution 225
regeneration 787, 949
regulation 503
regulatory gene 295
resistance gene 369, 525
restriction map 447
ribosylation 729
rice (*Oryza sativa*) 271, 615, 651
  callus cDNA library 615
  cell culture 625
RNA 99
  metabolism 555
  turnover 861
  -binding protein 825
root development 717
Rubisco 637
  assembly 425

S-like RNase 673
S-locus 807
Saccharomyces cerevisiae 105, 235
seed
  coat 567
  dormancy 379
self-incompatibility 807
senescence 673
sexual differentiation 471
signal transduction 389, 651, 687
Silene latifolia 471
silicon carbide whiskers 941
small nuclear RNA 921
small subunit of ribulose bisphosphate carboxylase 311
Solanum tuberosum 105
soluble starch synthase 151
soybean 177
spinach 359
splicing 921
starch 637
  degradation 625
  synthesis 795
stearate levels 401
sterility 201
stress response 815
style 491
subcellular 605
sucrose
  starvation 625
  transport 67, 697
suspension cultures 787
symbiosis 9
symplast 759

T-DNA 567
  boundary 271
  copy number 957
tapetum 927
TGA1a 133
three-dimensional structure 123
tissue-specific 283
tobacco 283, 433, 555
  transgenic 935
  protoplasts 707
tomato 781
trans-acting factor 87
transcription 283, 513
  activation 21, 597
transcripts 605
transfactor 729
transformation 55, 271, 503, 537, 941, 949
transgene variability 957
transgenic 283, 567
  Medicago 241
  plants 31, 55, 441, 591, 749, 879
  rice 311, 849
  tobacco 87, 339, 717
transient gene expression 849, 893
transient transformation 21
translation 503
translational control 537
transmitting tract 491
transposable elements 55
transposon tagging 781
turgor regulation 687

U2snRNA 921
ubiquitin 537
uidA gene 537
untranslated leader 513

vacuolar membrane 687
vacuole 235
variegation 161
Vicia faba 741

video-imaging 441
viroid 99
virus movement 525
voltage-dependence 707

water stress 259
whole mount 123
wound response 141
wounding 251

xanthophyll 45, 481
Xenopus oocytes 187
xylem 213

YAC clones 447

Zea mays 151, 351
zymogram 213